



Service documents



03-2021

SERVICE MANUAL

The latest version of service manual is available at:
www.dudek.eu/en/service-and-inspections/

TECHNICAL INSPECTIONS

Full Inspection is recommended every 24 months or every 150 hours whatever comes first, if not advised otherwise by the inspecting person due to paraglider's condition.


In case of paragliders used commercially (e.g. in schools or tandem flying) a Full Inspection is recommended every 12 months after first 24 months from purchase date or every 100 hours airtime (whatever comes first).

A paraglider can be officially inspected only by the manufacturer or a dealer (authorised to do so).

TECHNICAL DATA

Cabrio	30	34	38	42
Approval - ULM identification	yes	yes	yes	yes
Number of cells	53	53	53	53
Surface area (flat) [m ²]	30,00	34,00	38,00	42,00
Surface area (projected) [m ²]	25,51	28,91	32,44	35,71
Span (flat) [m]	12,73	13,55	14,32	15,06
Span (projected) [m]	10,12	10,78	11,39	11,98
Aspect Ratio (flat)	5,40			
Aspect Ratio (projected)	4,00			
Sink rate [m/s]	min = 1,6 +- 0,2			
Speed [km/h]	min = 32; trim = 46; max = 59 +- 5			
Max. cord [mm]	2906,00	3093,00	3270,00	3438,00
Min. cord [mm]	740,00	787,00	832,00	875,00
Distance pilot to wing [m]	7,64	8,13	8,59	9,04
Total line length [m]	410,48	437,86	463,67	488,16
Total take-off weight [kg]	110 – 300	130 – 350	160 - 400	210 - 450
Max take-off weight - for experienced [kg]	350*	400*	450*	500*
Distance between risers [cm]	60,00	60,00	60,00	60,00
Weight [kg]	6,45	7,07	7,57	8,17
Lines	A-8000U: 050 / Technora: 90; 140; 190; 280; 340 Dyneema: PPSL 350			
Fabric	Porcher Sport 38 g/m ²			
	Dominico tex 34 g/m ²			
	Porcher Sport Hard 40 g/m ²			
	SR Scrim, SR Laminat 180 g/m ²			
Risers	PASAMON - Bydgoszcz, Poland			

Lining scheme



Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 30

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	676	565	1117	1118	1179	1194
2	619	500	1026	1029	1070	906
3	644	528	999	1003	1090	750
4	656	543	1025	1027	1127	820
5	651	540	1021	1023	1114	799
6	622	507	1079	1081	1026	848
7	614	500	1037	1050	978	691
8	638	529	976	984	995	692
9	615	510	973	975		721
10	579	472	910	919		635
11	558	449	912	915		570
12	579	480	965	963		590
13	1069	876	893	995		594
14	944	765	785	863		634
15	733	687	746	822		1156
16	677	643	689	745		938
17	609	560	189	297		778
18	491	489				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	7553	7469	7582	7693	7740	8644
2	7495	7404	7492	7604	7630	8356
3	7480	7388	7465	7579	7608	8200
4	7493	7403	7445	7559	7645	8079
5	7480	7392	7440	7555	7650	8058
6	7451	7360	7498	7613	7562	7881
7	7447	7357	7482	7601	7553	7724
8	7470	7385	7421	7534	7570	7652
9	7463	7382	7418	7526		7681
10	7427	7345	7411	7509		7556
11	7410	7335	7413	7504		7491
12	7430	7365	7466	7553		7408
13	7400	7340	7407	7509		7412
14	7275	7230	7299	7377		7452
15	7178	7143	7206	7282		7342
16	7123	7099	7149	7205		7124
17	6878	6829	6828	6936		6964
18	6760	6758				

	AD	BD	CD	DD	BRT
1	1071	976	1688	1690	1358
2	1031	933	1641	1647	1112
3	1099	996	1530	1550	1107
4	1102	1000	1587	1590	1035
5	1496	1383	1154		821
6	1500	1396	1100		778
7	1019	1126	616		
8	1133	1118			
9	246				

	AP	BP	CP	DP	BRD
1	5426	5548	4383	4485	2816
2	5350	5477	4519	4600	2595
3	4972	5110	4965		2769
4	4918	4943			
5		5628			

BRP 1	3130	3280
BRP 2	6180	

Technora A 8000U-050:	XXXX
Technora 7343-090:	XXXX
Technora 7343-140:	XXXX
Technora 7343-190:	XXXX
Technora 7343-280:	XXXX
Technora 7343-340:	XXXX
Dyneema PPSL0-0350	XXXX

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 30_03

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	677	566	1120	1121	1182	1196
2	623	505	1033	1034	1080	911
3	640	524	1011	1014	1083	763
4	659	546	1015	1020	1134	813
5	649	538	1018	1023	1110	804
6	627	513	1084	1088	1034	845
7	609	495	1032	1047	971	697
8	640	531	978	986	995	688
9	615	508	981	984		719
10	581	474	903	913		636
11	554	445	909	913		565
12	580	481	965	964		594
13	1068	875	893	995		594
14	940	762	783	861		630
15	734	689	748	825		1150
16	672	638	684	741		925
17	609	560	189	297		760
18	490	488				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	7552	7468	7577	7714	7765	8704
2	7498	7406	7490	7627	7663	8420
3	7489	7397	7468	7607	7654	8271
4	7508	7419	7462	7601	7705	8162
5	7510	7422	7465	7604	7716	8152
6	7488	7397	7530	7669	7640	7986
7	7492	7402	7529	7663	7642	7838
8	7523	7438	7474	7602	7666	7773
9	7532	7451	7478	7600		7804
10	7499	7417	7483	7594		7677
11	7491	7417	7488	7594		7605
12	7517	7452	7544	7645		7514
13	7486	7426	7493	7594		7514
14	7358	7313	7383	7461		7551
15	7255	7221	7285	7361		7412
16	7192	7169	7221	7277		7187
17	6944	6894	6892	7000		7022
18	6825	6822				

	AD	BD	CD	DD	BRT
1	1065	970	1673	1680	1350
2	1038	942	1662	1668	1134
3	1090	986	1515	1532	1097
4	1112	1009	1598	1597	1040
5	1395	1297	1154		826
6	1415	1327	1091		767
7	1021	1128	615		
8	1123	1109			
9	247				

Technora A 8000U-050:

XXXX

Technora 7343-090:

XXXX

Technora 7343-140:

XXXX

Technora 7343-190:

XXXX

Technora 7343-280:

XXXX

Technora 7343-340:

XXXX

	AP	BP	CP	DP	BRD
1	5431	5551	4389	4513	2783
2	5391	5518	4587	4684	2613
3	5142	5265	5045		2783
4	5002	5028			
5		5693			

Dyneema PPSL0-0350

XXXX

BRP 1	3230	3380
BRP 2	6240	

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 34

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	720	601	1188	1189	1253	1271
2	660	533	1093	1095	1138	965
3	685	561	1066	1069	1158	800
4	699	578	1090	1093	1199	873
5	693	574	1086	1089	1183	852
6	662	541	1149	1152	1091	903
7	654	532	1104	1118	1037	737
8	679	563	1039	1048	1056	736
9	655	542	1037	1039		768
10	616	503	968	978		676
11	594	478	970	974		607
12	617	511	1027	1026		627
13	1138	932	951	1060		632
14	1005	815	837	919		675
15	780	731	794	875		1232
16	721	685	734	793		1000
17	649	596	201	317		830
18	523	520				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	8043	7953	8070	8186	8244	9189
2	7983	7885	7974	8092	8129	8883
3	7968	7870	7947	8065	8106	8718
4	7982	7887	7927	8046	8148	8587
5	7971	7877	7923	8043	8154	8566
6	7940	7843	7986	8105	8061	8378
7	7937	7841	7971	8094	8051	8212
8	7962	7872	7906	8023	8071	8138
9	7956	7870	7903	8015		8170
10	7918	7831	7898	7997		8037
11	7901	7822	7900	7993		7969
12	7924	7854	7957	8045		7886
13	7891	7827	7895	8004		7891
14	7758	7710	7781	7863		7933
15	7655	7618	7682	7763		7819
16	7596	7572	7622	7681		7587
17	7337	7284	7282	7398		7417
18	7211	7208				

	AD	BD	CD	DD	BRT
1	1138	1037	1794	1798	1445
2	1099	995	1750	1756	1186
3	1169	1059	1628	1649	1177
4	1175	1065	1691	1693	1103
5	1592	1471	1228		874
6	1597	1487	1172		830
7	1084	1199	655		
8	1206	1191			
9	262				

Technora A 8000U-050:

XXXX

Technora 7343-090:

XXXX

Technora 7343-140:

XXXX

Technora 7343-190:

XXXX

Technora 7343-280:

XXXX

Technora 7343-340:

XXXX

	AP	BP	CP	DP	BRD
1	5804	5934	4692	4798	2994
2	5728	5863	4844	4926	2764
3	5330	5476	5321		2954
4	5274	5301			
5		6031			

Dyneema PPSL0-0350

XXXX

BRP 1 3330 3480

BRP 2 6580

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 34_02

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	719	601	1188	1190	1303	1269
2	663	536	1096	1098	1196	969
3	693	569	1074	1077	1229	815
4	715	594	1112	1115	1285	900
5	723	604	1117	1119	1272	894
6	701	579	1187	1188	1194	954
7	700	578	1155	1168	1141	802
8	733	616	1100	1107	1166	807
9	722	608	1104	1105		835
10	691	576	1046	1054		745
11	677	561	1053	1056		669
12	700	593	1109	1106		680
13	1223	1017	1034	1142		677
14	1090	901	920	1004		710
15	858	810	872	954		1286
16	784	749	800	861		1054
17	711	663	266	374		880
18	588	585				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	8042	7952	8059	8206	8264	9187
2	7986	7888	7967	8115	8157	8887
3	7977	7878	7946	8094	8148	8733
4	7998	7903	7939	8088	8203	8614
5	8001	7906	7944	8093	8222	8608
6	7979	7881	8014	8162	8145	8429
7	7983	7886	8012	8164	8145	8277
8	8016	7925	7957	8103	8170	8209
9	8023	7936	7960	8100		8237
10	7992	7904	7966	8094		8107
11	7984	7904	7973	8095		8030
12	8007	7937	8029	8146		7938
13	7977	7912	7978	8086		7936
14	7844	7795	7864	7948		7968
15	7733	7697	7761	7842		7884
16	7660	7636	7688	7749		7651
17	7399	7351	7347	7455		7477
18	7276	7273				

	AD	BD	CD	DD	BRT
1	1138	1037	1794	1798	1445
2	1099	995	1750	1756	1186
3	1169	1059	1628	1649	1177
4	1175	1065	1691	1693	1103
5	1592	1471	1228		874
6	1597	1487	1172		830
7	1084	1199	655		
8	1206	1191			
9	262				

Technora A 8000U-050:

XXXX

Technora 7343-090:

XXXX

Technora 7343-140:

XXXX

Technora 7343-190:

XXXX

Technora 7343-280:

XXXX

Technora 7343-340:

XXXX

	AP	BP	CP	DP	BRD
1	5804	5934	4722	4858	2994
2	5728	5863	4874	4986	2764
3	5330	5476	5351		2954
4	5274	5301			
5		6031			

Dyneema PPSL0-0350

XXXX

BRP 1 3330 3480

BRP 2 6580

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 34_03

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	720	603	1192	1192	1256	1272
2	664	538	1100	1101	1148	970
3	681	557	1078	1080	1150	813
4	702	581	1079	1085	1206	865
5	691	572	1084	1089	1179	856
6	668	547	1154	1159	1099	899
7	648	526	1099	1114	1030	743
8	681	565	1041	1050	1057	732
9	654	541	1045	1048		766
10	619	505	961	971		677
11	590	473	967	972		602
12	618	512	1027	1027		632
13	1137	931	951	1059		632
14	1001	812	834	917		672
15	782	734	796	878		1225
16	715	679	729	789		985
17	649	596	201	317		810
18	522	519				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	8042	7952	8059	8206	8264	9249
2	7986	7888	7967	8115	8157	8947
3	7977	7879	7946	8094	8149	8790
4	7998	7903	7940	8089	8205	8671
5	8002	7908	7945	8093	8228	8662
6	7980	7883	8015	8163	8148	8487
7	7985	7889	8016	8168	8150	8330
8	8018	7928	7958	8104	8177	8262
9	8029	7943	7962	8102		8297
10	7994	7907	7968	8096		8162
11	7987	7908	7975	8097		8087
12	8015	7946	8035	8152		7995
13	7981	7918	7986	8094		7996
14	7845	7798	7869	7952		8035
15	7736	7700	7765	7846		7892
16	7670	7645	7697	7757		7653
17	7405	7352	7350	7465		7478
18	7278	7275				

	AD	BD	CD	DD	BRT
1	1132	1032	1778	1787	1436
2	1107	1004	1772	1778	1210
3	1159	1049	1612	1630	1167
4	1185	1075	1703	1701	1109
5	1485	1380	1229		879
6	1507	1413	1162		818
7	1086	1201	655		
8	1196	1181			
9	263				

Technora A 8000U-050:

XXXX

Technora 7343-090:

XXXX

Technora 7343-140:

XXXX

Technora 7343-190:

XXXX

Technora 7343-280:

XXXX

Technora 7343-340:

XXXX

	AP	BP	CP	DP	BRD
1	5810	5938	4694	4827	2959
2	5772	5907	4910	5024	2783
3	5510	5641	5411		2968
4	5363	5390			
5		6099			

Dyneema PPSL0-0350

XXXX

BRP 1 3430 3580

BRP 2 6650

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 38

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	761	636	1256	1257	1316	1343
2	698	564	1156	1158	1196	1020
3	723	592	1128	1131	1216	847
4	739	611	1151	1154	1261	922
5	733	607	1148	1151	1243	901
6	701	572	1215	1218	1146	955
7	690	562	1167	1182	1088	780
8	718	595	1099	1108	1109	777
9	692	573	1097	1099		812
10	652	532	1023	1033		714
11	628	505	1026	1030		643
12	652	540	1086	1085		663
13	1203	986	1005	1120		669
14	1063	862	885	972		714
15	824	773	839	925		1303
16	762	724	776	839		1058
17	686	630	213	335		878
18	553	550				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	8505	8410	8524	8639	8694	9702
2	8442	8338	8424	8540	8574	9379
3	8428	8324	8396	8513	8552	9206
4	8444	8343	8377	8495	8597	9065
5	8433	8334	8374	8492	8604	9044
6	8401	8299	8441	8559	8507	8847
7	8399	8297	8426	8548	8497	8673
8	8426	8331	8358	8474	8517	8595
9	8421	8330	8356	8465		8630
10	8381	8289	8351	8447		8491
11	8364	8280	8354	8443		8419
12	8388	8315	8415	8499		8336
13	8354	8286	8350	8465		8341
14	8214	8163	8229	8317		8387
15	8105	8066	8126	8211		8268
16	8043	8017	8063	8125		8023
17	7769	7713	7711	7833		7844
18	7636	7633				

	AD	BD	CD	DD	BRT
1	1202	1096	1894	1900	1527
2	1163	1053	1852	1858	1256
3	1235	1119	1720	1743	1243
4	1243	1127	1789	1791	1168
5	1682	1555	1298		923
6	1690	1573	1240		880
7	1146	1267	692		
8	1276	1260			
9	277				

Technora A 8000U-050:

XXXX

Technora 7343-090:

XXXX

Technora 7343-140:

XXXX

Technora 7343-190:

XXXX

Technora 7343-280:

XXXX

Technora 7343-340:

XXXX

	AP	BP	CP	DP	BRD
1	6161	6298	4978	5083	3162
2	6085	6228	5145	5223	2924
3	5667	5822	5652		3128
4	5610	5639			
5		6411			

Dyneema PPSL0-0350

XXXX

BRP 1 3520 3670

BRP 2 6950

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 38_02

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	760	635	1256	1257	1377	1341
2	702	568	1159	1161	1265	1025
3	732	601	1137	1140	1298	863
4	756	628	1174	1178	1359	951
5	764	638	1181	1183	1344	945
6	741	612	1255	1257	1263	1008
7	739	610	1220	1234	1205	849
8	775	651	1163	1171	1232	853
9	763	642	1167	1168		884
10	730	609	1104	1114		788
11	715	592	1113	1115		708
12	740	627	1172	1169		718
13	1293	1075	1093	1207		716
14	1152	952	973	1061		751
15	906	855	922	1007		1361
16	829	791	845	909		1115
17	751	700	280	395		931
18	621	618				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	8504	8409	8513	8659	8714	9700
2	8446	8342	8417	8564	8602	9384
3	8437	8333	8395	8542	8594	9222
4	8460	8359	8390	8538	8654	9095
5	8465	8364	8396	8544	8675	9088
6	8442	8339	8470	8617	8594	8901
7	8447	8345	8470	8620	8594	8742
8	8483	8386	8412	8556	8621	8670
9	8492	8399	8416	8554		8701
10	8459	8366	8423	8548		8564
11	8451	8367	8431	8549		8484
12	8476	8402	8490	8603		8391
13	8443	8376	8437	8551		8389
14	8303	8252	8317	8405		8424
15	8186	8148	8208	8293		8336
16	8109	8084	8131	8196		8091
17	7834	7783	7778	7893		7907
18	7704	7701				

	AD	BD	CD	DD	BRT
1	1202	1096	1894	1900	1527
2	1163	1053	1852	1858	1256
3	1235	1119	1720	1743	1243
4	1243	1127	1789	1791	1168
5	1682	1555	1298		923
6	1690	1573	1240		880
7	1146	1267	692		
8	1276	1260			
9	277				

Technora A 8000U-050:

XXXX

Technora 7343-090:

XXXX

Technora 7343-140:

XXXX

Technora 7343-190:

XXXX

Technora 7343-280:

XXXX

Technora 7343-340:

XXXX

	AP	BP	CP	DP	BRD
1	6161	6298	5018	5163	3162
2	6085	6228	5185	5303	2924
3	5667	5822	5692		3128
4	5610	5639			
5		6411			

Dyneema PPSL0-0350

XXXX

BRP 1 3520 3670

BRP 2 6950

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 38_03

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	761	637	1260	1260	1320	1345
2	703	570	1163	1164	1207	1026
3	719	588	1141	1142	1208	861
4	742	615	1140	1147	1269	914
5	730	604	1145	1152	1239	906
6	707	578	1221	1226	1155	950
7	684	556	1161	1178	1081	786
8	720	598	1101	1111	1109	773
9	692	572	1106	1109		811
10	655	535	1015	1027		716
11	623	500	1022	1027		637
12	654	541	1086	1086		667
13	1202	985	1005	1119		669
14	1059	858	882	970		710
15	827	775	842	928		1296
16	756	718	771	834		1043
17	686	630	213	335		858
18	552	548				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	8505	8409	8514	8660	8714	9763
2	8446	8342	8417	8564	8602	9445
3	8437	8333	8395	8542	8596	9280
4	8461	8360	8391	8539	8656	9152
5	8467	8366	8397	8544	8681	9144
6	8443	8340	8472	8619	8597	8959
7	8449	8347	8474	8625	8599	8795
8	8485	8389	8413	8558	8628	8724
9	8498	8406	8418	8556		8761
10	8461	8369	8426	8550		8620
11	8454	8371	8433	8551		8542
12	8485	8412	8497	8609		8449
13	8448	8381	8445	8559		8450
14	8305	8255	8322	8410		8492
15	8190	8151	8212	8298		8345
16	8119	8094	8141	8204		8092
17	7840	7784	7781	7903		7907
18	7706	7703				

	AD	BD	CD	DD	BRT
1	1196	1090	1878	1888	1517
2	1171	1062	1875	1881	1281
3	1225	1108	1703	1722	1232
4	1253	1137	1801	1799	1175
5	1569	1459	1299		929
6	1594	1495	1229		866
7	1148	1270	692		
8	1265	1249			
9	278				

Technora A 8000U-050:

XXXX

Technora 7343-090:

XXXX

Technora 7343-140:

XXXX

Technora 7343-190:

XXXX

Technora 7343-280:

XXXX

Technora 7343-340:

XXXX

	AP	BP	CP	DP	BRD
1	6167	6302	4981	5112	3125
2	6131	6274	5215	5325	2944
3	5857	5996	5746		3143
4	5703	5732			
5		6482			

Dyneema PPSL0-0350

XXXX

BRP 1 3630 3780

BRP 2 7030

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 42

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	800	668	1320	1321	1386	1412
2	735	594	1216	1217	1261	1073
3	760	622	1188	1189	1281	892
4	777	643	1209	1213	1330	969
5	770	638	1207	1211	1310	948
6	737	602	1278	1282	1208	1003
7	725	590	1227	1243	1145	821
8	755	626	1155	1165	1168	817
9	728	603	1154	1157		854
10	686	560	1075	1086		751
11	659	531	1078	1083		676
12	686	568	1142	1141		1370
13	1265	1036	1057	1178		697
14	1117	907	931	1022		703
15	867	813	882	972		1113
16	802	761	817	882		751
17	721	662	224	352		925
18	581	578				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	8944	8843	8964	9088	9149	10189
2	8878	8769	8860	8985	9024	9850
3	8864	8754	8831	8957	9002	9669
4	8881	8775	8813	8939	9051	9519
5	8872	8767	8811	8937	9059	9498
6	8839	8731	8882	9008	8958	9292
7	8837	8730	8868	8997	8947	9110
8	8867	8766	8797	8920	8970	9029
9	8862	8767	8795	8911		9067
10	8820	8724	8791	8893		8921
11	8803	8715	8795	8889		8847
12	8829	8753	8859	8948		8763
13	8793	8722	8791	8912		8769
14	8646	8593	8664	8756		8818
15	8532	8491	8556	8646		8694
16	8467	8440	8490	8555		8437
17	8179	8120	8118	8246		8249
18	8039	8036				

	AD	BD	CD	DD	BRT
1	1263	1151	1989	1996	1604
2	1224	1108	1949	1954	1323
3	1298	1175	1807	1831	1306
4	1307	1186	1882	1884	1230
5	1768	1634	1364		970
6	1777	1655	1304		926
7	1205	1332	728		
8	1342	1325			
9	291				

Technora A 8000U-050:

XXXX

Technora 7343-090:

XXXX

Technora 7343-140:

XXXX

Technora 7343-190:

XXXX

Technora 7343-280:

XXXX

Technora 7343-340:

XXXX

	AP	BP	CP	DP	BRD
1	6500	6644	5259	5372	3321
2	6424	6574	5439	5523	3076
3	5987	6150	5975		3294
4	5928	5959			
5		6771			

Dyneema PPSL0-0350

XXXX

BRP 1 3700 3850

BRP 2 7310

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Length of the lines

The version of the modification given in the last digit of the serial number, **eg. P-123452 (rev.02)**.

Cabrio – 42_03

Tabele / The tables / Tables / Tabelle:

Długości i rodzaj poszczególnych linek

The individual lengths and type of line

La longueur et le type de chaque ligne

Die einzelnen Leinlängen und Art.

	a	b	c	d	e	br
1	800	670	1324	1324	1390	1413
2	739	600	1224	1224	1273	1079
3	755	618	1201	1202	1273	907
4	780	647	1197	1205	1337	960
5	767	635	1204	1211	1305	953
6	744	608	1284	1290	1217	999
7	719	584	1221	1238	1138	827
8	758	629	1157	1168	1168	812
9	727	601	1163	1166		853
10	689	562	1066	1079		752
11	655	526	1075	1080		671
12	687	569	1142	1142		701
13	1264	1035	1057	1177		703
14	1113	903	928	1020		747
15	869	815	885	976		1363
16	795	755	811	877		1097
17	721	662	224	352		903
18	580	577				

Sumaryczna długość linek (z taśmami)

The total lengths (with risers)

Longueur des suspentes (avec élévateurs)

Gesamtlänge der Leinen (mit Tragegurten)

	a	b	c	d	e	br
1	8943	8842	8954	9109	9170	10251
2	8882	8772	8853	9009	9053	9917
3	8874	8764	8831	8987	9048	9744
4	8899	8793	8828	8985	9112	9608
5	8907	8801	8835	8990	9139	9600
6	8883	8775	8915	9070	9051	9407
7	8890	8783	8918	9077	9054	9235
8	8928	8827	8855	9007	9084	9162
9	8942	8846	8861	9005		9202
10	8904	8807	8869	9000		9054
11	8898	8810	8878	9001		8973
12	8930	8853	8945	9063		8879
13	8891	8821	8890	9010		8881
14	8741	8689	8761	8853		8925
15	8620	8580	8646	8736		8775
16	8546	8520	8571	8638		8509
17	8253	8194	8191	8319		8315
18	8112	8108				

	AD	BD	CD	DD	BRT
1	1256	1145	1972	1984	1594
2	1232	1118	1974	1978	1349
3	1287	1164	1789	1809	1294
4	1318	1197	1895	1892	1236
5	1649	1533	1365		977
6	1676	1572	1293		912
7	1207	1335	727		
8	1330	1313			
9	292				

Technora A 8000U-050:

XXXX

Technora 7343-090:

XXXX

Technora 7343-140:

XXXX

Technora 7343-190:

XXXX

Technora 7343-280:

XXXX

Technora 7343-340:

XXXX

	AP	BP	CP	DP	BRD
1	6506	6648	5263	5401	3282
2	6472	6622	5514	5629	3097
3	6187	6332	6073		3309
4	6026	6056			
5		6845			

Dyneema PPSL0-0350


XXXX

BRP 1 3810 3960

BRP 2 7390

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the main carabiner (tolerancy +/- 10 mm)

Cabrio risers



Other informations:

- number of risers: 4 (with A riser split into A and A')
- trimmers: Yes

Risers

Trimmers Closed

Slowest speed, minimum sink



- A - 420
- A' - 420
- B - 420
- C - 420
- D - 420

Trimmers fully released

Maximum speed and increased sink



- A - 420
- A' - 420
- B - 420
- C - 500
- D - 580

* lengths of the risers incl. maillons, length tolerance +/- 5mm



